

**SURFACEAMERICA®**

*Recreational & Athletic Surfacing for Maximum Performance*



**SPECIALTY SURFACING & FLOORING**

# TABLE OF CONTENTS

<b>SPECIALTY OUTDOOR SURFACING</b>	<b>3</b>
EverTop	4-5
SportTurf Cushion	6-7
DuraPaver	8-9
EverTop for Miracle League	10-11
Miracle League Turf	12-13
<b>SPECIALTY INDOOR FLOORING</b>	<b>14</b>
Everlast Roll	15-16
EverTop	17-18
SportTurf Cushion	19-20
UltraTile	21-22
Performance	23-24
Contact Information	25





## SPECIALTY OUTDOOR SURFACING



Surface America offers some of the industry's best-performing and most durable rubber and turf surfacing products that can be found in many specialty outdoor applications.

### KEY ATTRIBUTES:

- Exceptional footing
- Abrasion-resistant & wear-resistant
- Outstanding shock absorption
- Poured-rubber in many colors & color combinations for nearly endless design possibilities

### IDEAL APPLICATIONS:

- Recreational Trails & Paths
- Walkways
- Common & High-Traffic Areas
- Special Needs Baseball Fields

### SYSTEM TYPE:

- Poured-in-Place Rubber
- Rubber Roll Good
- Rubber Paver
- Synthetic Turf Roll

SYSTEM:

**EVERTOP™**



Surface America® EverTop™ is ideal for recreational trails & pathways

**OVERVIEW:**

- 1-layer porous system: EPDM rubber & polyurethane
- Mixed and troweled on site, so nearly endless design possibilities & configurations
- Exceptional footing and shock absorption



cutaway view

SYSTEM:

**EVERTOP™**



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

#### DATA:

- Field-applied in any configuration and dimensions
- Wet poured, one layer, troweled on site
- EPDM (Ethylene Propylene Diene Monomer) rubber and polyurethane binder
- Typical thickness is 1/2"
- Many colors and color combinations
- Porous
- Base Options: asphalt or concrete
- Recycled material components sourced from the USA
- ADA compliant per ASTM F-1951 for playground surface accessibility
- 7-Year Warranty (Super-7 with aromatic urethane)
- 10-Year Warranty (Extreme-10 with aliphatic urethane)

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)

SYSTEM:

# SPORTTURF™ CUSHION



Surface America® SportTurf™ Cushion at The Galloway School in Atlanta, GA

## OVERVIEW:

- Non-infilled synthetic turf with foam backing roll
- Abrasion-resistant, extremely durable
- ADA compliant



SYSTEM:

# SPORTTURF™ CUSHION



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

**DATA:**

- Product: Non-infilled
- Pile Weight: 40 oz/sy (8-year fade warranty)
- Face Yarn Type: Blended polyethylene & nylon, eight-ply
- Yarn Size: 9,440 denier (5,040 denier for polyethylene and 4,400/8 for nylon)
- Pile Height: 24/32 (+/- 1/8")
- Construction: Tufted broadloom
- Tufting Gauge: 1/4"
- Primary Backing: Dual polypropylene
- Secondary Backing: Urethane pre-coat with 5 mm foam
- Seams: Adhered or Velcro
- Finished Roll Width: 12' & 15'
- Finished Roll Length: Up to 120'
- Base options: concrete or asphalt
- Adhesive: System must be fully adhered to concrete or asphalt

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)

SYSTEM:

**DURAPAVER™**



**SURFACEAMERICA®**  
an ECOPE company



Surface America® DuraPaver™ are ideal for walkways and patio areas

**OVERVIEW:**

- I-shaped rubber pavers
- Full or split sizes, loose-laid or fully adhered
- Porous





SYSTEM:

**DURAPAVER™**



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

**DATA:**

- Full pavers: 7-3/4" long x 6-1/4" wide x 4-1/2" at center x 1-3/4" thickness
- Split pavers: 7-3/4" long x 6-1/4" wide x 4-1/2" at center x 7/8" thickness
- Base options: asphalt, concrete, crushed stone, rooftops
- Beveled edge detail (1-3/4")
- 4 standard color options
- Porous design
- Indoor and outdoor use
- Made from pre- and post-consumer recycled materials
- Industry's longest & most comprehensive warranty

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)

SYSTEM:


# EVERTOP™ FOR MIRACLE LEAGUE



Surface America® EverTop™ at The Miracle League's Killebrew Field in Minnetonka, MN

## OVERVIEW:

- 1-layer porous system: EPDM rubber & polyurethane
- Colors to simulate grass, dirt, chalked lines
- Exceptional footing and shock absorption



SYSTEM:

# EVERTOP™ FOR MIRACLE LEAGUE



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

**DATA:**

- Field-applied in any configuration and dimensions
- Wet poured, one layer, troweled on site
- Typical thickness range is ½"
- Many colors and color combinations
- Porous for outdoor use
- Base options: asphalt or concrete
- Flush, feathered or typical edge detail
- Recycled material components sourced from the USA
- 7-year warranty

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](http://SurfaceAmerica.com)

SYSTEM:

# MIRACLE LEAGUE TURF



Surface America® Miracle League Turf in Southlake, TX (as provided by sister company A-Turf®)

## OVERVIEW:

- Synthetic turf with low fiber height & tight gauge
- Outstanding maneuverability for players and mobility equipment
- Surface drainage



SYSTEM:

# MIRACLE LEAGUE TURF



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

**DATA:**

- Synthetic turf, adhesive, seam tape
- Typically fully adhered
- 12' or 15' wide turf roll by custom lengths
- Green, terra cotta and white turf – to simulate baseball field
- Surface drainage
- Industry's longest & most comprehensive warranty

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](http://SurfaceAmerica.com)

## SPECIALTY INDOOR FLOORING



Surface America floors can be found in many specialty indoor applications. Rubber flooring has exceptional footing and slip-resistant characteristics – even when wet. It’s not affected by moisture or extreme temperatures and resists the punishing wear of ice skates at rink surrounds and ski boots at lodges. Rubber roll good has perfect uniformity in density and thickness. Revolutionary flooring technology allows a wear layer to be fused to a 97% post-consumer recycled rubber backing, creating a fusion-bonded product with anti-fatigue capabilities that meets and exceeds all standards for low VOC emissions.

### KEY ATTRIBUTES:

- Exceptional footing
- Abrasion-resistant & wear-resistant
- Outstanding shock absorption
- Poured-rubber in many colors & color combinations for nearly endless design possibilities

### IDEAL APPLICATIONS:

- Entryways & Reception Areas
- Common & High-Traffic Areas
- Ice Rinks & Ski Lodges
- Locker Rooms

### SYSTEM TYPE:

- Poured-in-Place Rubber
- Rubber Roll Good
- Rubber Tile & Interlocking Tile
- Synthetic Turf Roll
- Vinyl Roll & Tile
- Carpet Tile

SYSTEM:

# EVERLAST ROLL



Surface America® Everlast Roll used for ice rink surround and common areas

## OVERVIEW:

- 100% post-consumer recycled SBR & 100% post-industrial recycled EPDM rubber
- Not affected by moisture or extreme temperatures
- Perfect uniformity in density and thickness from roll to roll



SYSTEM:

## EVERLAST ROLL



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

### DATA:

- 48-in wide roll in custom lengths (in whole foot increments)
- 8 mm thickness (6 mm & 9 mm options)
- 36-in x 36-in x 8 mm Everlast Tile available with minimum quantities
- Fade-resistant/wears well
- Easy to clean: E-Cleaner, vacuum or broom and damp mop
- Fully adhered over a concrete or wood subfloor
- Non-porous
- Sound and shock absorbent
- Slip-resistant wet or dry

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)



SYSTEM:

**EVERTOP™**



Surface America® EverTop™ indoor walking/jogging track

**OVERVIEW:**

- 1-layer porous system: EPDM rubber & polyurethane
- Mixed and troweled on site, so nearly endless design possibilities & configurations
- Exceptional footing and shock absorption



cutaway view

SYSTEM:

**EVERTOP™**



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

**DATA:**

- Field-applied in any configuration and dimensions
- Wet poured, one layer, troweled on site
- EPDM (Ethylene Propylene Diene Monomer) rubber and polyurethane binder
- Typical thickness is 1/2"
- Many colors and color combinations
- Porous
- Base Options: asphalt or concrete
- Recycled material components sourced from the USA
- ADA compliant per ASTM F-1951 for playground surface accessibility
- 7-Year Warranty (Super-7 with aromatic urethane)
- 10-Year Warranty (Extreme-10 with aliphatic urethane)

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](http://SurfaceAmerica.com)

SYSTEM:


# SPORTTURF™ CUSHION



Surface America® SportTurf™ Cushion in a beautiful outdoor common area

## OVERVIEW:

- Non-infilled synthetic turf with foam backing roll
- Abrasion-resistant, extremely durable
- ADA compliant



SYSTEM:

# SPORTTURF™ CUSHION



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

## DATA:

- Non-infilled turf
- Pile Weight: 40 oz/sy (8-year fade warranty)
- Face Yarn Type: Blended polyethylene & nylon, eight-ply
- Yarn Size: 9,440 denier (5,040 denier for polyethylene and 4,400/8 for nylon)
- Pile Height: 24/32 (+/- 1/8")
- Construction: Tufted broadloom
- Tufting Gauge: 1/4"
- Primary Backing: Dual polypropylene
- Secondary Backing: Urethane pre-coat with 5 mm foam
- Seams: Adhered or Velcro
- Finished Roll Width: 12' & 15'
- Finished Roll Length: Up to 120'
- Base options: concrete or asphalt
- Adhesive: System must be fully adhered to concrete or asphalt

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)

SYSTEM:


# ULTRATILE



Surface America® UltraTile® at Buffalo Bills' Ralph Wilson Stadium field tunnel

## OVERVIEW:

- 2-layer bonded rubber tile
- Ultra-durable top wear layer expected life of more than 100% longer than other rubber playground tiles
- Superior noise & shock absorption



SYSTEM:

# ULTRATILE



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

## DATA:

- 24" x 24" x 1" thickness
- 48" x 4" x 1" reducers
- Tiles can be placed over existing floor
- Easy, fast installation
- Patented dowel rod fastening system
- Low life cycle costs
- Fade and wear-resistant
- Easy to clean
- Sound and shock absorbent
- Slip-resistant when wet or dry
- Durable
- 15-year warranty

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)

SYSTEM:


# PERFORMANCE



Surface America® Performance on perimeter walkway

## OVERVIEW:

- 2-layer bonded rubber roll
- Ultra-durable top wear layer fusion-bonded to resilient underlayment
- Superior noise & shock absorption



SYSTEM:

# PERFORMANCE



Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to exacting specifications and guaranteed to meet expectations. We commonly fill the role of contract holder, project manager and certified installer. Surface America has the expertise and experience to play a significant role in the overall success of a project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.

## DATA:


- Dual-layer (surface laminated to a base mat) roll
- 2.5 mm EPDM wear layer over 5 mm or 12 mm resilient rubber underlayment
- Available in 48-in wide by custom length rolls
- Excellent coefficient of friction
- Spike-resistant
- Provides excellent force reduction
- Fade-resistant, wears well
- Easy to clean: E-Cleaner, vacuum or broom and damp mop
- Sound and shock absorbent
- Slip resistant, wet or dry
- DIN tested for ball bounce

Specifications are subject to change without notice.



Headquarters: PO Box 157  
Williamsville, NY 14231  
800-999-0555 | [SurfaceAmerica.com](https://www.SurfaceAmerica.com)





**SURFACEAMERICA®**

an ECORE company

**800-999-0555 | [SurfaceAmerica.com](http://SurfaceAmerica.com)**

**National Headquarters:**

505 Aero Drive  
Cheektowaga, NY 14225  
Phone: 716-632-8413  
Fax: 716-632-8324

**Mailing Address:**

PO Box 157  
Williamsville, NY 14231

**Regional Sales Offices are located throughout the United States.**